•		
	Application No.	Applicant(s)
Notice of Allowability	10/617,125	MORI ET AL.
	Examiner	Art Unit
	John J. Zimmerman	1775
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 9/21/05 (amendments)	<u>s)</u>	
2. The allowed claim(s) is/are 1, 3-12.		
 3.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	E Thistian of lateral 11.5	totant Application (DTO 450)
1. Notice of References Cited (PTO-892)		ratent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary Paper No./Mail Dal	te <u>20051003</u> .
 Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 	08), 7. ⊠ Examiner's Amendr	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Stateme	ent of Reasons for Allowance
		JOHN J. ZIMMERMAN

Page 2

Application/Control Number: 10/617,125

Art Unit: 1775

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it must be submitted no later than the

payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with

Gregory A. Stobbs (Reg. No. 28,764) on October 3, 2005.

The application has been amended as follows: Replace claim 5 with:

-- 5. A plated material comprising a metal substrate, a metal plating layer formed on the

surface of the substrate, and the metal plating layer has a soft region spreading in a network-

shape and a hard region surrounded by the network of the soft region coexisting in the metal

plating layer, wherein the substrate is formed of a copper alloy consisting essentially by mass

percent of 0.5 to 3% Ni, 0.1 to 0.9% Sn, 0.08 to 0.8% Si, 0.1 to 3% Zn, 0.007 to 0.25% Fe, 0.001

to 0.2% P, 0.001 to 0.2% Mg, 0.0001 to 0.005% C, and the balance of Cu and inevitable

impurities. -

Page 3

Application/Control Number: 10/617,125

Art Unit: 1775

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to John J. Zimmerman whose telephone number is (571) 272-1547.

The examiner can normally be reached on 8:30am-5:00pm, M-F. Supervisor Deborah Jones can

be reached on (571) 272-1535. The fax phone number for the organization where this

application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

dan J. Zimmerman

Pfimary Examiner

Art Unit 1775

jjz

October 3, 2005